
WorkForce Pro WF-C579RDWF



DATASHEET / BROCHURE



Our latest A4 RIPS MFD delivers fast print, scan and copy speeds with a smaller footprint, low TCO and low environmental impact.

Increase your business productivity with less intervention, a fast first page out time, and secure printing rules and workflow processes, all while reducing your printing costs and environmental impact. High ink yields of up to 50,000 pages in black and 20,000 in colour, fast duplex scanning speeds, and a wide-range of workflow solutions for businesses make this a powerhouse for offices.

Low running costs

High ink yields lower the need to order and replace supplies frequently, and help to deliver predictable print costs and a competitive Total Cost of Ownership (TCO). Also, inkjet technology with fewer replacement parts, lowers the hidden costs of servicing and intervention.

High productivity

A fast First Page Out Time (FPOT) of 4.8 secs in black and 5.3 secs in colour from ready mode, print speeds of up to 24ppm in colour and mono (ISO speed), and a fast duplex scan speed of 60ipm help to keep productivity high. An improved durability of 240k pages helps print more for longer. A maximum paper capacity of 1,330 sheets means less time spent refilling.

Low environmental impact

In addition to speeding up printing, the lack of heat needed by our inkjet technology also helps to cut the environmental impact of print by providing a low power solution with fewer supplies. The high ink yield means less waste from supplies, and you can rest assured from a lack of toner dust and ozone gas emissions.

Built for business

It's compatible with a wide-range of solutions. Boost productivity and monitor print usage via server-based Epson Print Admin; control, analyse and manage your printer fleet with Epson Device Admin; or manage advanced push scan functions with Document Capture Pro. Benefit from our partner solutions like Nuance, PaperCut and Y Soft that can be adapted to meet specific business needs.

KEY FEATURES

- Low running costs Benefit from a low Total Cost of Ownership
- Fast FPOT 4.8secs in black and 5.3 secs in colour from ready mode
- High scan speeds 60ipm single-pass duplex ADF
- Lower your environmental impact Low energy consumption reduces CO2 footprint, no ozone gas emissions
- Use with a wide range of solutions Print and scan management software

EPSON



PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	3.8 pl, With Variable-Sized Droplet Technology
Ink Technology	Replaceable Ink Pack System (RIPS)
Category	Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax
PRINT	
First Page Out	Monochrome 4.8 Seconds, Colour 5.3 Seconds
Printing Speed ISO/IEC 2473	4 24 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	15 A4 Pages/min Monochrome, 15 A4 Pages/min Colour
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m ²), 34 pages/min Colour (plain paper 75 g/m ²)
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	50,000 pages per month
	The maximum number of printed pages per month based on the performance capabilities of
	the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	400 - 4,500 pages per month
Colours	Black, Cyan, Yellow, Magenta
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.
SCAN	
Scanning Speed	30 ipm (Monochrome, Single-sided, 200 dpi, ADF); 30 ipm (Colour, Single-sided, 200 dpi,
	ADF); 60 ipm (Monochrome, Double-sided, 200 dpi, ADF); 60 ipm (Colour, Double-sided, 200
	dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed
);
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
Advanced document	Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture
integration	Pro), USB Memory Device / Card
Output formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)
FAX	
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
	CCITU/ITU Group3 fax with Error Correction Mode
Error correction mode	Conto/no croupe lax with Ener Contection Mode
Error correction mode Fax speed dials (max)	200 names and numbers
Fax speed dials (max)	200 names and numbers

WorkForce Pro WF-C579RDWF

WHAT'S IN THE BOX

- Warranty Documents
- Quick Setup Guide
- Driver and utilities (CD)
- User manual (CD)
- Power cable
- Initialization Ink Supply Units





PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDWF

СОРҮ	
Copy Speed	Up to 22 ipm Black, Up to 22 ipm Colour
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999
Maximum Copy Size	A4
CONNECTIVITY	
Network Printing Protocols	LPR, FTP, IPP, LDP, Port 9100, WSD-Print
Network Management Protocols	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, ENPC, SLP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS,
FIOLOCOIS	SNMP 3.0, SNMP Trap
Network Scanning Protocols	
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-
	Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0-A (2x)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC
PAPER / MEDIA HANDLING	
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, C4 (Envelope), C6 (Envelope),
	DL (Envelope), No. 10 (Envelope), Letter, Legal, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 16:9, HLT,
	EXE, User defined
Automatic Document Feed	50 pages
Compatible Paper Weight	64 g/m² - 256 g/m²
Duplex	Yes
Standard Paper input	250 Sheets Standard, 80 Sheets MP tray
Output Tray Capacity	150 Sheets
Paper Tray Capacity	330 Sheets Standard, 1,330 Sheets Maximum
Standard paper tray(s) Optional paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray 500-Sheet paper tray
Rear paper path (special	Yes
media)	165
Number of paper trays	2
PAPER FEED RASF	DA05
Paper Input Name	RASE
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10
Custom sizes	x 15 cm, 13 x 18 cm, 16:9, Legal, Executive
Custom sizes Compatible paper weight	Min 64x 127 mm to Max 215.9x 6,000 mm 64 g/m ² - 300 g/m ²
Paper Capacity 1	64 g/m² - 300 g/m² 80 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
	r ann a apor, nooyood r apor, oolour r apor, collerifead, Glossy Filolo Fapor
PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, HLT, Executive
Custom sizes	Min 89x 127 mm to Max 215.9x 355.6 mm
Compatible paper weight	64 g/m² - 300 g/m²
Paper Capacity 1	250 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper





PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDWF

PAPER FEED C2	
Paper Input Name	C2
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive
Custom sizes	Min 100x 148 mm to Max 215.9x 355.6 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED DUPLEX	
Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m² - 160 g/m²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED C3	
Paper Input Name	C3
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 100x 148 mm to Max 215.9x 355.6 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
GENERAL	
Energy Use	29 Watt (standalone copying, ISO/IEC 24712 pattern), 1.3 Watt (sleep mode), 14 Watt (Ready),
5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5	0.2 Watt (Power off), TEC 0.19 kWh/week
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Product dimensions	425 x 535 x 413 mm (Width x Depth x Height)
Product weight	23 kg
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Mac OS 10.10.x, Mac OS 10.7.x,
Systems	Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8 or later.
oyotomo	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1,
	Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit),
	Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows
	Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2
	or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64
	Edition, XP Professional x64 Edition SP2
Sound Power	Operation: 6.7 B (A)
Noise	Operation: 53 dB (A)
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,
services	Google Cloud Print
Power supply	220V, 240V
ADDITIONAL FEATURES	Transferraria Direct Directory to add with a DO Directory (1900
Features	Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB
Panel	Type: Color, Touchscreen, Diagonal: 10.9 cm
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code
decunty r unctions	release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin
	Mode
OTHER FEATURES	
Emulations	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7
Lindations	





SUPPLIES

- WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit
- Maintenance box

LOGISTICS INFORMATION

SKU	C11CG77401BY
EAN code	8715946653433
Country of Origin	Indonesia
Layer	2 Units
Layer Block	2 Units

WorkForce Pro WF-C579RDWF

INK YIELD DATA

C13T01C300 5,000 pages

C13T01C400 5,000 pages

C13T01C200 5,000 pages

C13T01C100 10,000 pages


C13T01D100 50,000 pages

C13T01D200 20,000 pages

C13T01D300 20,000 pages

C13T01D400 20,000 pages

C13T671600



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



For more information please contact:

Business users*: 0330 175 8374 Or visit us at www.airacom.com Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2023-04-14

